


STRUCTURAL SERIES					
	NO.	DRAWING TITLE	DWG NO.	REV.	REMARKS
01		DRAWING LIST	G-1.00	00	
02		GENERAL NOTES	G-1.01	00	
03		GROUND FLOOR PLAN	G-1.02	00	
04		FIRST AND SECOND FLOOR PLAN	G-1.03	00	
05		ROOF PLAN	G-1.04	00	
06		DIMENSION PLAN	G-1.05	00	
07		ELEVATION A	G-1.06	00	
08		ELEVATION B, SECTION X AND DOOR/WINDOW	G-1.07	00	
09		COLUMN LOCATION PLAN	G-1.08	00	
10		FOUNDATION PLAN	G-1.09	00	
11		BEAM PLAN	G-1.10	00	
12		SLAB REINFORCEMENT PLAN	G-1.11	00	
13		ROOF BEAM PLAN	G-1.12	00	
14		ROOF FRAMING PLAN	G-1.13	00	
15		TYPICAL DETAILS	G-1.14	00	
16		ELECTRICAL POWER AND LIGHTING LAYOUT	G-1.15	00	
17		WASTE WATER LAYOUT	G-1.16	00	
18		WATER SUPPLY LAYOUT	G-1.17	00	

DRAWING LIST

SCALE NTS

DRAWING NUMBER KEY



BUILDING NUMBERS:

- 01 = HARBOUR
- 02 = GUARD HOUSE
- 03 = VEHICLE SHED EXTENSION BUILDING
- 04 = STORAGE EXTENSION BUILDING
- 05 = FUEL FARM
- 06 = WATER STORAGE TANKS
- 07 = MECHANICAL STORAGE
- 08A = POWER HOUSE
- 08B = DESALINATION BUILDING
- 09 = WASTE SORTING SHED EXTENSION
- 09A = SORTING SHED TO INCINERATOR SHADING
- 10. BUNKERS
 - 10A - ADMIN TRAINING
 - 10B - RECEIVING (NON-RECYCLING)
 - 10C - RECEIVING (E-WASTE)
 - 10D - RECEIVING (PLASTICS)
 - 10E - RECEIVING (PAPER ITEMS)
 - 10F - RECEIVING (REJECTS)
 - 10G - RECEIVING (ORGANIC WASTE)
 - 10H - RECEIVING (MEDICAL WASTE)
 - 10I - RECEIVING (METALS)
 - 10J - RECEIVING (NON-RECYCLING)
 - 10K - RECEIVING (FOR EXPANSION)
 - 10L - RECEIVING (FOR EXPANSION)
- 11. WASTE MANAGEMENT FACILITIES
 - 11A - RESERVED FOR FUTURE USE
 - 11B - RECYCLABLES
 - 11C - RECYCLING (WITH COMPACTION AND BAILING PLANT)
 - 11D = E-WASTE
 - 11E = BULK WASTE
 - 11F = COMPOST
 - 11G = HAZARDOUS WASTE
- 12 = UNPROCESSED WASTE BUNKER
- 13 = PUMP HOUSE
- 14 = PROPOSED LANDFILL
 - 14A = C&D WASTE
 - 14B = GENERAL WASTE

DRAWING STAGES:

- CN = CONCEPTUAL DESIGN
- SD = SCHEMATIC DESIGN
- DD = DESIGN DEVELOPMENT
- CD = CONSTRUCTION DOCUMENTS

DISCIPLINE:

- G = GENERAL
- A = ARCHITECTURAL
- S = STRUCTURAL
- E = ELECTRICAL
- P = PLUMBING
- F = FIRE PROTECTION

DRAWING NUMBERS:

- 1 = GENERAL
- 2 = PLANS
- 3 = ELEVATIONS
- 4 = SECTIONS
- 5 = DETAILS
- 6 = SCHEDULES

PROJECT : R. VANDHOO PROJECT: SOLID WASTE MANAGEMENT FACILITY CLIENT : MINISTRY OF ENVIRONMENT AND ENERGY CONSULTANT : HUSSAIN SHAHEED	DRAWN BY : ARIF CHECKED BY : HUSSAIN SHAHEED TITLE : AS GIVEN SCALE : AS GIVEN DATE: 19.01.2019 PG NO.	DWG NO: VAN-TD-S2-G-1.00-R0 REV. NO: R0-190119/01 REV. NOTES - - - - -	APPROVED BY: APPROVED DATE:
---	---	---	------------------------------------

GENERAL NOTES

GENERAL

1. THE CONTRACTOR IS REQUIRED TO SUBMIT COORDINATED M&E PENETRATION DRAWINGS FOR APPROVAL.
2. ALL STRUCTURAL DRAWINGS SHALL BE READ IN CONJUNCTION WITH ALL ARCHITECTURAL AND SERVICE DRAWINGS, SPECIFICATIONS AND WRITTEN INSTRUCTIONS IF ISSUED DURING THE COURSE OF THE CONTRACT. ALL DISCREPANCIES SHALL BE REFEREED FOR DECISION BEFORE PROCEEDING WITH THE WORK. IF A CONFLICT OCCURS BETWEEN GENERAL SPECIFICATIONS AND ANY OF THESE DRAWINGS, THE INDIVIDUAL DRAWINGS SHALL GOVERN.
3. THE DRAWINGS SHALL NOT BE SCALED. ALL DIMENSIONS RELEVANT TO SETTING OUT AND OFF-SITE SHALL BE VERIFIED BY THE CONTRACTOR BEFORE CONSTRUCTION AND FABRICATION IS COMMENCED.
4. DURING THE CONSTRUCTION PERIOD THE CONTRACTOR SHALL BE RESPONSIBLE TO MAINTAIN THE STABILITY OF STRUCTURE AND ENSURE THAT NO STRUCTURAL ELEMENT BE OVERSTRESSED UNDER CONSTRUCTION ACTIVITIES.
5. WORKMANSHIP AND MATERIALS SHALL BE IN ACCORDANCE WITH THE RELEVANT RECENT BS CODES OR OTHER ACCEPTABLE STANDARDS.
6. BASED ON THE DRAWINGS AND SPECIFICATIONS THE CONTRACTOR SHALL PRODUCE STRUCTURAL SHOP DRAWINGS FOR APPROVAL IF REQUESTED.
7. ALL DIMENSIONS TO STRUCTURAL DRAWINGS ARE IN MILLIMETERS UNLESS STATED OTHERWISE. ALL LEVELS ARE EXPRESSED IN METERS.
8. THE REINFORCED CONCRETE DESIGN IS BASED ON BS 8110 'STRUCTURAL USE OF CONCRETE'
9. REFER TO STANDARD AND TYPICAL DETAILS AS SHOWN IN THE TYPICAL DRAWINGS FOR DETAILS NOT SHOWN SPECIFICALLY.
10. ALL PROPS AND FRAMEWORK FOR BEAMS AND SLABS SHALL BE REMOVED BEFORE CONSTRUCTION OF ANY MASONRY WALLS OR OTHER PERMANENT LOADING ON THE SLAB.
11. ALL NON-LOAD BEARING WALLS SHALL BE KEPT CLEAR OFF THE UNDERSIDE OF SLABS AND BEAMS BY 30MM. THE JOINT SHALL BE FILLED WITH FIBRE BOARD OR COMPRESSIBLE MATERIAL PRESSED METAL COVERING BOTH SIDES OF THE JOINT, AND THE METAL COVERING SHALL BE FIXED TO SOFFIT OF THE BEAM OR SLAB AS THE CASE MAYBE.
12. THE CONTRACTOR IS REQUIRED TO SUBMIT A DRAWING SHOWING THE INTENDED SEQUENCE OF POURING, LOCATION AND DETAILS OF CONSTRUCTION JOINTS TO MINIMIZE THE POSSIBILITY OF OCCURRENCE OF SHRINKAGE CRACKS.
13. PRIOR TO COMMENCEMENT OF WORK THE CONTRACTOR SHALL SUBMIT THE FOLLOWING FOR THE APPROVAL BY THE EMPLOYER'S PERSONNEL:
 - 13.1. METHOD AND SEQUENCE OF CONSTRUCTION.
 - 13.2. DESIGN AND CALCULATION OF TEMPORARY SUPPORT TO EXCAVATION PREPARED AND APPROVED BY AN ACCREDITED GEOTECHNICAL ENGINEER.
 - 13.3. INSTRUMENTATION PROGRAMME TO MONITOR SOIL MOVEMENT, WATER TABLE AND SETTLEMENT.
 - 13.4. EFFECTS OF GROUND WATER LEVEL DRAW-DOWN.
 - 13.5. PRECAUTIONARY MEASURES TO AVOID DAMAGE TO NEIGHBORING BUILDING STRUCTURES.

FOUNDATIONS

1. ALL FOUNDATIONS HAS BEEN DESIGNED FOR SAFE GROUND PRESSURE OF 150 kN/m²
2. ALL BACKFILL SHOULD BE DONE WITH APPROVED MATERIAL AND SOURCE. ALL BACKFILL SHOULD BE STRUCTURAL FILL, COMPACTED IN LAYERS AS SPECIFIED.
3. WEAK POCKETS FOUND BELOW THE ASSUMED FOUNDATION LEVELS SHALL BE REMOVED AND REPLACED BY PLAIN CONCRETE.
4. IN CASE OF EXCAVATIONS BELOW THE ASSUMED LEVEL OF THE FOUNDATION, THE SOIL SHALL BE REPLACED BY PLAIN CONCRETE.
5. IN CASE GROUND WATER IS PRESENT ABOVE FOUNDATION LEVEL, THE CONTRACTOR SHALL BE RESPONSIBLE FOR DEWATERING THE SITE, AND LOWERING THE GROUND WATER TO AT LEAST 70 cm BELOW LEVEL OF FOUNDATIONS.
6. THE CONTRACTOR SHALL MAINTAIN DRY WORKING CONDITIONS THROUGHOUT THE CONSTRUCTION PERIOD. RESTORING WATER TABLE CAN BE DONE AFTER BACKFILLING AND COMPACTION UP TO THE SLAB ON GRADE LEVEL, OR AS DIRECTED BY THE ENGINEER.
7. NO BACK FILLING SHALL BE PLACED AGAINST WALLS RETAINING EARTH, UNLESS THE WALLS ACHIEVE SUFFICIENT STRENGTH TO PREVENT MOVEMENT OR STRUCTURAL DAMAGE.

CONCRETE

1. CEMENT SHALL BE ORDINARY PORTLAND CEMENT TO BS 12.
2. CONCRETE GRADE:
 - 2.1. ALL IN-SITU STRUCTURAL CONCRETE SHALL HAVE MINIMUM 28 DAYS CUBE STRENGTH OF 30 N/mm² TO THE RELEVANT CLAUSES OF BS5328.
 - 2.2. ALL PLAIN CONCRETE (OR BLINDING) SHALL HAVE MINIMUM 28 DAYS CUBE STRENGTH OF 15 N/mm², TO THE RELEVANT CLAUSES OF BS5328.
3. AGGREGATES SHALL BE TO BS 882 WITH A NOMINAL SIZE OF 20 mm
4. SULPHATE RESISTING CEMENT SHALL BE USED FOR ALL CONCRETE IN CONTACT WITH GARBAGE.
5. NO OPENINGS, HOLES, CHASES OR EMBEDMENT OF PIPES OTHER THAN THOSE IN THE STRUCTURAL DRAWINGS SHALL BE MADE IN CONCRETE MEMBERS WITHOUT PRIOR APPROVAL.
6. CONSTRUCTION AND EXPANSION JOINTS SHALL BE PROPERLY FORMED AND USED ONLY WHERE SHOWN OR SPECIFICALLY APPROVED.
7. NO ELECTRICAL CONDUIT AND PIPES ARE TO BE CAST IN COLUMNS OR THROUGH BEAMS WITHOUT PRIOR APPROVAL UNLESS OTHERWISE SHOWN IN THE DRAWINGS.
8. OPENING IN SLABS:
 - 8.1. FOR OPENING LESS THAN 300 x 300 mm, BARS SHALL BE RE-ARRANGED AROUND THE OPENING.
 - 8.2. FOR OPENINGS GREATER THAN 300 x 300 mm BUT LESS THAN 450 x 450 mm AND NOT SHOWN ON PLAN, PROVIDE 2 DIA 12 TOP AND BOTTOM ALONG EACH SIDE AND T16 DIAGONALLY AT CORNERS OR AS OTHERWISE DETAILED. AMOUNT OF BARS DISCONTINUED DUE TO THE OPENING SHALL BE PLACED AT THE RESPECTIVE SIDES.
 - 8.3. OPENINGS GREATER THAN 450 x 450 mm AND NOT SHOWN ON PLAN SHALL BE APPROVED.
9. SHEAR KEY SHALL BE PROVIDED AT ALL CONSTRUCTION JOINTS.
10. WATERPROOFING SYSTEM AS SPECIFIED IN THE SPECIFICATIONS SHALL BE USED IN STRUCTURAL ELEMENTS WHICH ARE CONTINUOUSLY IN CONTACT WITH SOIL OR WATER ON LIFT PIT, ROOF SLAB, R.C. RETAINING WALL AND RAFT ETC.
11. TO PROVIDE INTEGRAL SEALING BETWEEN CONCRETE CAST IN-SITU IN SEPARATE POUR, APPROVED WATERSTOP HAS TO BE INSTALLED FOR ALL CONSTRUCTION JOINTS IN CONTACT WITH WATER AND SOIL.
12. SPECIAL RULES REGARDING CONCRETING IN HOT WEATHER SHALL BE OBSERVED.

REINFORCEMENT


1. HIGH STRENGTH DEFORMED BARS DENOTED T SHALL CONFIRM TO BS-4449 WITH MINIMUM YIELD STRENGTH Fy= 460 N/mm², MILD STEEL DENOTED R SHALL HAVE 250 N/mm² YIELD STRENGTH. WELDED WIRE MESH SHALL COMPLY WITH BS-4483.
2. SPLICES IN REINFORCEMENT SHALL BE MADE ONLY IN THE POSITION SHOWN OR AS OTHERWISE APPROVED
3. SPACER BARS SHALL BE PROVIDED AT 100cm CENTERS WHEREVER REINFORCEMENT IS PLACED IN MORE THAN ONE LAYER, UNLESS STATED OTHERWISE
4. WELDING OF REINFORCEMENT SHALL NOT BE PERMITTED. IF REINFORCEMENT SHOULD BE WELDED, APPROVAL IS REQUIRED.
5. ALL REINFORCEMENT SHALL BE SUPPORTED IN ITS CORRECT POSITION DURING CONCRETING BY APPROVED BAR CHAIRS, SPACERS, OR SUPPORT BARS.
6. TYPICAL DEVELOPMENT AND SPLICES OF DEFORMED BARS WITH Fy = 460 N/mm² AND Fcu = 30 N/mm², (CUBE STRENGTH) SHALL BE AS FOLLOWS, UNLESS OTHERWISE MENTIONED IN DRAWINGS:
 - 6.1. BASIC TENSION DEVELOPMENT LENGTH, LD = 56 x BAR DIA
 - 6.2. MINIMUM COMPRESSION DEVELOPMENT LENGTH, LDC = 40 x BAR DIA (OR 300mm WHICH EVER IS MORE)
7. BENDING OF REINFORCEMENTS SHALL BE IN ACCORDANCE WITH BS 4466.

ABBREVIATIONS

APPROX	-APPROXIMATE
B	-BEAM
B.W.	-BOTH WAYS
BOT OR BTM	-BOTTOM
BOB	-BOTTOM OF BASE
BOS	-BOTTOM OF STEEL
BOT	-BOTTOM OF TRUSS
(B1)	-BOTTOM STEEL BOTTOM REINFORCEMENT
(B2)	-BOTTOM STEEL TOP REINFORCEMENT
BLDG	-BUILDING
€	-CENTER LINE
C/C	-CENTER TO CENTER
C	-COLUMN
CO-ORD	-CO-ORDINATE
DPC	-DAMP PROOF COURSE
DET OR DTL	-DETAIL
DIA	-DIAMETER
D/B	-DISTRIBUTION BAR
DWG	-DRAWING
EF	-EACH FACE
EW	-EACH WAY
EL	-ELEVATION (HEIGHT)
ELEV	-ELEVATION (VIEW)
FF	-FAR FACE
FS	-FAR SIDE
FW	-FILLET WELD
FFL	-FINISHED FLOOR LEVEL
FDN OR FND	-FOUNDATION
FB	-FOUNDATION BEAM
GA	-GENERAL ARRANGEMENT
G.I.	-GALVANIZED IRON
IL	-INVERT LEVEL
LG	-LONG OR LENGTH
MAX	-MAXIMUM
MKD	-MARKED
MIN	-MINIMUM
MISC	-MISCELLANEOUS
N/F	-NEAR FACE
N/S	-NEAR SIDE
NOM	-NOMINAL
NTS	-NOT TO SCALE
Nos	-NUMBERS
O/D	-OUTSIDE DIAMETER
PL	-PAVEMENT LEVEL
PROJ	-PROJECTION
QTY	-QUANTITY
RAD	-RADIUS
R.C.	-REINFORCED CONCRETE
REQ'D	-REQUIRED
SW	-SHEAR WALL
STIFF	-STIFFENER
SQ	-SQUARE
SFL	-STRUCTURAL FINISH LEVEL
THK	-THICK (NESS)
TEMP	-TEMPORARY
TOB	-TOP OF BEAM
TOC	-TOP OF COLUMN
TOG	-TOP OF GROUT
TO Platf	-TOP OF PLATFORM
TS	-TOP OF SLAB
TOS	-TOP OF STEEL
TOT	-TOP OF TRUSS
TYP	-TYPICAL
U/S	-UNDERSIDE
UNO	-UNLESS NOTED OTHERWISE
(T1)	-TOP STEEL TOP REINFORCEMENT
(T2)	-TOP STEEL BOTTOM REINFORCEMENT
(UPB)	-UPSTAND BEAM

BEC

PROJECT : R. VANDHOO PROJECT: SOLID WASTE MANAGEMENT FACILITY CLIENT : MINISTRY OF ENVIRONMENT AND ENERGY CONSULTANT : HUSSAIN SHAHEED	DRAWN BY : ARIF CHECKED BY : HUSSAIN SHAHEED TITLE : AS GIVEN SCALE : AS GIVEN DATE: 19.01.2019 PG NO.	DWG NO: VAN-TD-S2-G-1.01-R0 REV. NO: R0-190119/01 REV. NOTES - - - - - -	APPROVED BY: APPROVED DATE:
---	---	--	--



GROUND FLOOR PLAN

SCALE 1:100




PROJECT :
R. VANDHOO
PROJECT: SOLID WASTE
MANAGEMENT FACILITY
 CLIENT : MINISTRY OF ENVIRONMENT AND ENERGY
 CONSULTANT : **HUSSAIN SHAHEED**

DRAWN BY : ARIF
 CHECKED BY : HUSSAIN SHAHEED
 TITLE : AS GIVEN
 SCALE : AS GIVEN DATE: 19.01.2019
 PG NO.

DWG NO: VAN-TD-S2-G-1.02-R0
 REV. NO: R0-190119/01
 REV. NOTES
 -
 -
 -
 -
 -

APPROVED BY:

 APPROVED DATE:




FIRST AND SECOND FLOOR PLAN

SCALE 1:100



PROJECT : R. VANDHOO PROJECT: SOLID WASTE MANAGEMENT FACILITY CLIENT : MINISTRY OF ENVIRONMENT AND ENERGY CONSULTANT : HUSSAIN SHAHEED	DRAWN BY : ARIF	DWG NO: VAN-TD-S2-G-1.03-R0	APPROVED BY: APPROVED DATE:
	CHECKED BY : HUSSAIN SHAHEED	REV. NO: R0-190119/01	
	TITLE : AS GIVEN	REV. NOTES	
	SCALE : AS GIVEN DATE: 19.01.2019	- - - -	
PG NO.			




ROOF PLAN

SCALE 1:100



<p>PROJECT : R. VANDHOO PROJECT: SOLID WASTE MANAGEMENT FACILITY CLIENT : MINISTRY OF ENVIRONMENT AND ENERGY CONSULTANT : HUSSAIN SHAHEED</p>	<p>DRAWN BY : ARIF CHECKED BY : HUSSAIN SHAHEED TITLE : AS GIVEN SCALE : AS GIVEN DATE: 19.01.2019 PG NO.</p>	<p>DWG NO: VAN-TD-S2-G-1.04-R0 REV. NO: R0-190119/01 REV. NOTES - - - - -</p>	<p>APPROVED BY: APPROVED DATE:</p>
--	--	---	--




DIMENSION PLAN

SCALE 1:50



<p>PROJECT : R. VANDHOO PROJECT: SOLID WASTE MANAGEMENT FACILITY CLIENT : MINISTRY OF ENVIRONMENT AND ENERGY CONSULTANT : HUSSAIN SHAHEED</p>	<p>DRAWN BY : ARIF CHECKED BY : HUSSAIN SHAHEED TITLE : AS GIVEN SCALE : AS GIVEN DATE: 19.01.2019 PG NO.</p>	<p>DWG NO: VAN-TD-S2-G-1.05-R0 REV. NO: R0-190119/01 REV. NOTES - - - - -</p>	<p>APPROVED BY: APPROVED DATE:</p>
--	--	---	--




ELEVATION A

SCALE 1:100




<p>PROJECT : R. VANDHOO PROJECT: SOLID WASTE MANAGEMENT FACILITY CLIENT : MINISTRY OF ENVIRONMENT AND ENERGY CONSULTANT : HUSSAIN SHAHEED</p>	<p>DRAWN BY : ARIF CHECKED BY : HUSSAIN SHAHEED TITLE : AS GIVEN SCALE : AS GIVEN DATE:19.01.2019 PG NO.</p>	<p>DWG NO: VAN-TD-S2-G-1.06-R0 REV. NO: R0-190119/01 REV. NOTES - - - -</p>	<p>APPROVED BY: APPROVED DATE:</p>
--	---	---	--




ELEVATION B

SCALE 1:100



SECTION X:X


SCALE 1:100



<p>D2 ALUMINIUM FRAMED HINGED OPENABLE ALUMINIUM DOOR WITH FROSTED GLASS FIXED PANEL ON DOOR PANEL</p>	<p>D3 ALUMINIUM FRAMED HINGED OPENABLE ALUMINIUM DOOR WITH FROSTED GLASS FIXED PANEL ON DOOR PANEL</p>	<p>W1 ALUMINIUM WINDOW WITH SLIDING WINDOW PANELS</p>	<p>V1 ALUMINIUM WINDOW WITH SLIDING WINDOW PANELS</p>	<p>V2 ALUMINIUM WINDOW WITH SLIDING WINDOW PANELS</p>
<p>REMARKS</p>	<p>REMARKS</p>	<p>REMARKS</p>	<p>REMARKS</p>	<p>REMARKS</p>
<p>AREA: 1.50 m²</p>	<p>AREA: 3.235 m²</p>	<p>AREA: 3.235 m²</p>	<p>AREA: 3.235 m²</p>	<p>AREA: 3.235 m²</p>

LG - LAMINATED GLASS

<p>PROJECT: R. VANDHOO PROJECT: SOLID WASTE MANAGEMENT FACILITY CLIENT : MINISTRY OF ENVIRONMENT AND ENERGY CONSULTANT : HUSSAIN SHAHEED</p>	<p>DRAWN BY : ARIF CHECKED BY : HUSSAIN SHAHEED TITLE : AS GIVEN SCALE : AS GIVEN DATE: 19.01.2019 PG NO.</p>	<p>DWG NO: VAN-TD-S2-G-1.07-R0 REV. NO: R0-190119/01 REV. NOTES - - - - -</p>	<p>APPROVED BY: APPROVED DATE:</p>
---	--	---	--




COLUMN LOCATION PLAN

SCALE 1:100



<p>PROJECT : R. VANDHOO PROJECT: SOLID WASTE MANAGEMENT FACILITY CLIENT : MINISTRY OF ENVIRONMENT AND ENERGY CONSULTANT : HUSSAIN SHAHEED</p>	<p>DRAWN BY : ARIF CHECKED BY : HUSSAIN SHAHEED TITLE : AS GIVEN SCALE : AS GIVEN DATE:19.01.2019 PG NO.</p>	<p>DWG NO: VAN-TD-S2-G-1.08-R0 REV. NO: R0-190119/01 REV. NOTES - - - - -</p>	<p>APPROVED BY: APPROVED DATE:</p>
--	---	---	--




GROUND SLAB PLAN

SCALE 1:100



NOTE:
 FOUNDATION DEPTH: 1200mm
 GROUND SLAB
 SLAB THICKNESS = 100mm
 REINFORCEMENT: T10@150 C/C BW

PROJECT : R. VANDHOO PROJECT: SOLID WASTE MANAGEMENT FACILITY CLIENT : MINISTRY OF ENVIRONMENT AND ENERGY CONSULTANT : HUSSAIN SHAHEED	DRAWN BY : ARIF	DWG NO: VAN-TD-S2-G-1.09-R0	APPROVED BY: APPROVED DATE:
	CHECKED BY : HUSSAIN SHAHEED	REV. NO: R0-190119/01	
	TITLE : AS GIVEN SCALE : AS GIVEN DATE: 19.01.2019	REV. NOTES - - -	
	PG NO.	- -	




BEAM PLAN

SCALE 1:100



PROJECT : R. VANDHOO PROJECT: SOLID WASTE MANAGEMENT FACILITY CLIENT : MINISTRY OF ENVIRONMENT AND ENERGY CONSULTANT : HUSSAIN SHAHEED	DRAWN BY : ARIF	DWG NO: VAN-TD-S2-G-1.10-R0	APPROVED BY: APPROVED DATE:
	CHECKED BY : HUSSAIN SHAHEED	REV. NO: R0-190119/01	
	TITLE : AS GIVEN	REV. NOTES	
	SCALE : AS GIVEN	DATE: 19.01.2019	
	PG NO.		




SLAB REINFORCEMENT PLAN

SCALE 1:100



<p>PROJECT : R. VANDHOO PROJECT: SOLID WASTE MANAGEMENT FACILITY CLIENT : MINISTRY OF ENVIRONMENT AND ENERGY CONSULTANT : HUSSAIN SHAHEED</p>	<p>DRAWN BY : ARIF CHECKED BY : HUSSAIN SHAHEED TITLE : AS GIVEN SCALE : AS GIVEN DATE: 19.01.2019 PG NO.</p>	<p>DWG NO: VAN-TD-S2-G-1.11-R0 REV. NO: R0-190119/01 REV. NOTES - - - - -</p>	<p>APPROVED BY: APPROVED DATE:</p>
--	--	---	--




ROOF BEAM PLAN

SCALE 1:100



<p>PROJECT : R. VANDHOO PROJECT: SOLID WASTE MANAGEMENT FACILITY CLIENT : MINISTRY OF ENVIRONMENT AND ENERGY CONSULTANT : HUSSAIN SHAHEED</p>	<p>DRAWN BY : ARIF CHECKED BY : HUSSAIN SHAHEED TITLE : AS GIVEN SCALE : AS GIVEN DATE: 19.01.2019 PG NO.</p>	<p>DWG NO: VAN-TD-S2-G-1.12-R0 REV. NO: R0-190119/01 REV. NOTES - - - - -</p>	<p>APPROVED BY: APPROVED DATE:</p>
--	--	---	--



ROOF FRAMING PLAN






SCALE 1:100



50X150mm TIMBER RAFTERS @ 900C/C

25X35mm TIMBER BATTENS @ 600C/C



PROJECT : R. VANDHOO PROJECT: SOLID WASTE MANAGEMENT FACILITY CLIENT : MINISTRY OF ENVIRONMENT AND ENERGY CONSULTANT : HUSSAIN SHAHEED	DRAWN BY : ARIF CHECKED BY : HUSSAIN SHAHEED TITLE : AS GIVEN SCALE : AS GIVEN DATE: 19.01.2019 PG NO.	DWG NO: VAN-TD-S2-G-1.13-R0 REV. NO: R0-190119/01 REV. NOTES - - - - -	APPROVED BY: APPROVED DATE:
---	---	---	------------------------------------





STIFFENER COLUMN
SCALE 1:20

CAPPING BEAM
SCALE 1:20



LINTEL BEAM / SILL
SCALE 1:20




BEAM 'B1'
SCALE 1:20



BEAM 'B2'
SCALE 1:20




STAIR DETAIL
SCALE 1:20




BALCONY RAILING DETAIL
SCALE 1:20

PROJECT : R. VANDHOO PROJECT: SOLID WASTE MANAGEMENT FACILITY CLIENT : MINISTRY OF ENVIRONMENT AND ENERGY CONSULTANT : HUSSAIN SHAHEED	DRAWN BY : ARIF CHECKED BY : HUSSAIN SHAHEED TITLE : AS GIVEN SCALE : AS GIVEN DATE: 19.01.2019 PG NO.	DWG NO: VAN-TD-S2-G-1.14-R0 REV. NO: R0-190119/01 REV. NOTES - - - - - -	APPROVED BY: APPROVED DATE:
---	---	--	--



GROUND FLOOR WASTE WATER LAYOUT

SCALE 1:100



FIRST AND SECOND FLOOR WASTE WATER LAYOUT

SCALE 1:100




LEGEND - PLUMBING

SYMBOL	DESCRIPTION
	CLEANING / RODDING EYE
	FLOOR TRAP WITH GULLY
	SHOWER
	BIDET SHOWER
	FAUCET
	GATE VALVE / BALL VALVE
	SERVICE PROVIDER WATER METER
	ELECTRIC PUMP
	HDPE FRESH WATER PIPE
	HDPE WELL WATER PIPE
	Ø100mm UPVC RAIN WATER DOWN PIPE
	Ø50mm UPVC VENT PIPE
	Ø40mm UPVC WASTE WATER PIPE
	Ø100mm UPVC SEWAGE PIPE
	INSPECTION CHAMBER

GENERAL NOTE:

1. NO BRANCH CONNECTIONS SHALL BE MADE BELOW GF WHERE EVER A BRANCH CONNECTION IS NECESSARY, INSPECTION CHAMBER IS TO BE INSTALLED
2. INSPECTION CHAMBER ARE TO BE VENTED TO NEAREST INSPECTION CHAMBER (NOT SHOWN) OR VENT PIPE TO SIDE SHALL BE INSTALLED
3. ALL STORM WATER TO BE CONNECTED TO SOAK PIT AT LEVEL

PROJECT : R. VANDHOO PROJECT: SOLID WASTE MANAGEMENT FACILITY CLIENT : MINISTRY OF ENVIRONMENT AND ENERGY CONSULTANT : HUSSAIN SHAHEED	DRAWN BY : ARIF CHECKED BY : HUSSAIN SHAHEED TITLE : AS GIVEN SCALE : AS GIVEN DATE: 19.01.2019	DWG NO: VAN-TD-S2-G-1.16-R0 REV. NO: R0-190119/01 REV. NOTES - - - - -	APPROVED BY: APPROVED DATE:	
	PG NO.			



GROUND FLOOR WATER SUPPLY LAYOUT

SCALE 1:100




FROM WATER
SUPPLY MAINS

LEGEND - PLUMBING

SYMBOL	DESCRIPTION
	CLEANING / RODDING EYE
	FLOOR TRAP WITH GULLY
	SHOWER
	BIDET SHOWER
	FAUCET
	GATE VALVE / BALL VALVE
	SERVICE PROVIDER WATER METER
	ELECTRIC PUMP
	HDPE FRESH WATER PIPE
	HDPE WELL WATER PIPE
	Ø100mm UPVC RAIN WATER DOWN PIPE
	Ø50mm UPVC VENT PIPE
	Ø40mm UPVC WASTE WATER PIPE
	Ø100mm UPVC SEWAGE PIPE
	INSPECTION CHAMBER

GENERAL NOTE:

1. NO BRANCH CONNECTIONS SHALL BE MADE BELOW WHERE EVER A BRANCH CONNECTION IS NECESSARY INSPECTION CHAMBER IS TO BE INSTALLED
2. INSPECTION CHAMBER ARE TO BE VENTED TO NEAREST INSPECTION CHAMBER (NOT SHOWN) OR VENT PIPE SIDE SHALL BE INSTALLED
3. ALL STORM WATER TO BE CONNECTED TO SOAK PILE LEVEL



FIRST AND SECOND FLOOR WATER SUPPLY LAYOUT

SCALE 1:100



PROJECT : R. VANDHOO PROJECT: SOLID WASTE MANAGEMENT FACILITY CLIENT : MINISTRY OF ENVIRONMENT AND ENERGY CONSULTANT : HUSSAIN SHAHEED	DRAWN BY : ARIF CHECKED BY : HUSSAIN SHAHEED TITLE : AS GIVEN SCALE : AS GIVEN DATE: 19.01.2019	DWG NO: VAN-TD-S2-G-1.17-R0 REV. NO: R0-190119/01 REV. NOTES - - - - -	APPROVED BY: APPROVED DATE:	
	PG NO.			